



## Summary

Introducing incredible power at your fingertips, the Apple Mac Pro desktop. Powered by two Dual Core Intel Xeon 2.66 GHz processors, 1 GB of installed RAM and a GeForce 7300 GT graphics card with 256 MB of video RAM, the Mac Pro plows through any graphical applications you throw at it. 250 GB of hard drive space provides more than enough storage for any and all of your data, but if the need arises for making back ups the Mac Pro provides you with a Double Layer SuperDrive to burn dual layer DVDs. The Mac Pro features Gigabit Ethernet, MacOS X 10.4 and an unparralleled ability for expansion. Get acquainted with power. Meet Mac Pro

## Features

- **Processor:** 2 x Dual Core Intel Xeon 2.66 GHz
- **Memory:** 1 GB (512 MB x 2) / 16 GB (max)
- **Hard Drive:** 250 GB
- **Optical Drive:** Double Layer SuperDrive
- **Graphics Controller:** NVIDIA GeForce 7300 GT graphics with 256MB memory
  
- **Networking:** Gigabit Ethernet 10/100/1000
- **Operating System:** Apple MacOS X 10.4
- **Warranty:** One Year Limited
- **Not Included:** Monitor

---

<b>Manufacturer</b>	Apple
<b>Manufacturer Part #</b>	MA356LL/A
<b>Type</b>	Workstation
<b>Product Form Factor</b>	Tower
<b>Processor</b>	<b>Type</b> 2 x 2.66GHz Dual-Core Intel Xeon processors

	<b>64-bit Computing</b>	Yes
	<b>Data Bus Speed</b>	1.33 GHz, 64-bit
<b>Cache Memory</b>	<b>Type</b>	L2 cache
	<b>Installed Size</b>	4 MB
	<b>Installed Size</b>	1 GB (512 MB x 2) / 16 GB (max)
	<b>Technology</b>	DDR II SDRAM - ECC Fully Buffered
	<b>Memory Speed</b>	667 MHz
<b>RAM</b>	<b>Memory Specification Compliance</b>	PC2-5300
	<b>Form Factor</b>	DIMM 240-pin
	<b>Hard Drive</b>	250GB Serial ATA (3Gb/s); 7200 rpm; 8Mb cache
<b>Storage</b>	<b>Primary</b>	16x SuperDrive with double-layer support (DVD+R DL/DVD±RW/CD-RW)
<b>Optical Storage</b>	<b>Primary</b>	16x SuperDrive with double-layer support (DVD+R DL/DVD±RW/CD-RW)
	<b>Monitor</b>	None
	<b>Graphics Controller</b>	Nvidia GeForce 7300GT 256MB single-link DVI/Dual-link DVI
<b>Audio</b>	<b>Type</b>	Sound Card, Integrated
	<b>Networking</b>	Network Adapter
<b>Networking</b>	<b>Data Link Protocol</b>	Ethernet, Fast Ethernet, Gigabit Ethernet
	<b>Expansion Bays Total (free)</b>	2 ( 1 ) x front accessible, for 2nd SuperDrive 4 ( 3 ) x internal, Hard Drive Bays
	<b>Expansion Slots Total (free)</b>	8 ( 6 ) x Memory 4 ( 3 ) x PCI Express x16
<b>Expansion</b>		2 x Firewire 800 ports
		2 x Firewire 400 ports
		5 x USB 2.0 ports
	<b>Interfaces</b>	2 x USB 1.1 ports
		1 x Audio out, Headphone jack
		1 x Audio in, Analog stereo jack
		1 x Optical digital audio input and output Toslink ports
<b>Power</b>	<b>Device Type</b>	Power Supply
	<b>Voltage Required</b>	AC 100/120 V ( 50/60 Hz )
<b>Environmental Parameters</b>	<b>Min Operating Temperature</b>	50°F
	<b>Max Operating Temperature</b>	95 °F
	<b>Humidity</b>	5 - 95%

**Range  
Operating**

**Operating System**

Apple MacOS X 10.4

**Included Software**

Mac OS X v10.4 Tiger (includes Spotlight, Dashboard, Mail, iChat AV, Safari, QuickTime, iCal, and other software), iLife '06 (includes iTunes, iPhoto, iMovie HD, iDVD, iWeb, GarageBand), Comic Life, Omni Outliner, Microsoft Office 2004 for Mac Test Drive, iWork '06 (30-day trial), FileMaker Pro 8.5 trial

**Dimensions  
(W x D x H)**

**Unit**

8.1" x 18.7" x 20.1"

**Weight**

**Unit**

42.4 lbs

**Rent from ICC**